

tech-check specs architectural | Division 10

This is a template, so some items will apply to your project, and others won't or will be missing. When using the list, make the changes needed for your project.

The content of the Tech-Check Lists is based on our specs and MASTERSPEC®.

DIVISION 10 - SPECIALTIES

□ 102113.14 - STAINLESS-STEEL TOILET COMPARTMENTS

- This section specified stainless steel toilet compartments.
 - Basis of Design Manufacturer:** Bradley <https://www.bradleycorp.com/toiletpartitions/stainless-steel-partitions>
- ALL TOILET COMPARTMENTS IN RWW ARE SPECIFIED "OVERHEAD BRACED/FLOOR MOUNTED" because that is the type that is easiest to install without wabbles.
- "Verify field dimensions" paragraph is included in the section.
- The product specified has gap-free option when available.
- LEED PROJECTS:** Requirements and Submittals included at the beginning of the section.



□ 102113.17 - PHENOLIC-CORE TOILET COMPARTMENTS

- This section specifies phenolic-core toilet compartments.
 - Basis of Design Manufacturers:** Bobrick or Bradley. <https://www.bradleycorp.com/toiletpartitions/solid-phenolic-core-partitions>
- ALL TOILET COMPARTMENTS IN RWW ARE SPECIFIED "OVERHEAD BRACED/FLOOR MOUNTED" because that is the type that is easiest to install without wabbles.
- "Verify field dimensions" paragraph is included in the section.
- The product specified has gap-free option when available.
- LEED PROJECTS:** Requirements and Submittals included at the beginning of the section.



□ 104413 - FIRE PROTECTION CABINETS

- This section specifies fire protection cabinets for portable fire extinguishers, surface mounted, semi-recessed and fully recessed.
 - Basis of Design Manufacturer:** Larse's or JL. <http://www.larsensmfg.com/home;>
- Section includes white enameled finish (to be field painted to match the wall) or stainless steel - as applicable to project.
- Partition thickness is coordinated with type of cabinet and details. If cabinets are installed in rated partitions, detail is included.
- Installation for type of cabinets specified is included in the section- window (if any), lettering, etc.
- FIRE EXTINGUISHERS are typically 5 pounds.



□ 102233 - TOILET , SHOWER, AND CUSTODIAL ACCESSORIES

- This section specifies accessories for public-use bathrooms and showers; under lavatory guards; and custodial accessories.
 - **Basis of Design Manufacturer:** Bobrick.
 - **Basis of Design Product under lavatory guards:** IPS Truebro® Lav Guard® 2 Undersink Piping Covers
- Section includes the following:
 - General requirements for toilet accessories that are shown on the Drawings.
 - General requirements for grab bars that are shown on the Drawings.
 - Miscellaneous Accessories: Coat hooks, folding shelves, diaper changing unit.
 - Accessories for showers: Curtain rod, curtains shower seat, shelves, towel hooks, towel bar, bench for outside the shower where people undress and dress, hair dryer.
 - Accessories for custodial rooms: Floor sink and shelf with mop/broom holder.
- Check that details showing installation and location match the section.
- **LEED PROJECTS:** Requirements and Submittals included at the beginning of the section.



END OF TECH-CHECKING LIST